



Advisory Announcement

CONTACT:

Released: August 5, 2025

Matt Olson, Area Management Biologist
Bonnie Borba, Fall Season Research Biologist
907-949-1320 (Emmonak)
907-459-7274 (Fairbanks)
Toll free fishing schedule and counts: 1-866-479-7387

2025 Yukon River Salmon Fall Fishery Announcement #8

Fall Update #3, Yukon Area Salmon Fishery

Districts Affected: Yukon Area

The 2025 fall chum salmon preseason run size projection is less than 200,000 fish, based on the relationship between historical summer chum salmon and fall chum salmon run sizes. If the run comes in as projected, it will not meet the drainagewide escapement goal of 300,000–600,000 fish. As outlined in the Fall Chum Salmon Management Plan, the projected run size must exceed 300,000 fish to allow subsistence salmon fishing. In addition, the run is not anticipated to be large enough to meet the Canadian treaty objectives for fall chum salmon, which are 70,000–104,000 fish in the mainstem Yukon River and 22,000–49,000 fish in the Fishing Branch River.

Coho salmon typically enter the Yukon River in mid-August with the bulk of the run passing the Lower Yukon Test Fishery between August 16 and 26. The primary parent year for coho salmon this year is from the lowest run on record, which occurred in 2021 with an estimated escapement of 46,000 fish. Therefore, the run is expected to be below the average of 216,000 fish.

As both the fall chum and coho salmon runs are anticipated to be well below average, subsistence fishing for chum and coho salmon will be restricted as they arrive in each area and nonsalmon subsistence fishing time with 4-inch gillnets and manned fish wheels will be reduced to protect migrating salmon. Assessment projects will continue to monitor the run throughout the migration to determine if there is enough improvement in either fall chum or coho salmon to allow increased or selective fishing opportunity. Currently the lower river assessment project estimates include both a mixture of summer and fall chum salmon, while upriver escapement counts will be specific to the distribution of fall chum salmon.

Assessment project and management updates will be published in weekly Advisory Announcements (Updates). To subscribe to these updates, fill out the form on the following website:

<https://www.adfg.alaska.gov/index.cfm?adfg=cfnews.search>

Daily sonar passage estimates, and LYTF test fish numbers are shared on Facebook (Yukon River Fishing - ADFG) and can be heard by calling toll-free phone recording: 1-866-479-7387.

Weekly teleconferences hosted by YRDFA take place on Tuesdays at 1:00 p.m. The call-in number is 1-800-315-6338, and the participation code is YUKON# (98566#).

Fall Assessment ProjectsLower Yukon Test Fishery/ADF&G and YDFDA

Fall season operations began on July 16 using 6-inch mesh gear to target fall chum and coho salmon. As of August 4, the fall chum salmon cumulative catch per unit effort (CPUE) was 86.68, which is below the average of 484.40 for this date. The midpoint based on median run timing occurs on August 13 for fall chum salmon at this project.

Data collected from chum and coho salmon will include Age, Sex, and Length (ASL). A portion of the fall chum and coho salmon caught in LYTF will also be sampled for other fish health research. All retained salmon will be distributed to local communities.

Pilot Station Sonar (ADF&G)

The sonar project operated near Pilot Station transitioned to fall season on July 19. As of August 4, the cumulative passage is approximately 95,000 chum salmon in the fall season. This compares to a median cumulative passage of 203,000 chum salmon in the fall season for this date. The first-quarter point based on median run timing occurs on July 30 for chum salmon in the fall season at this project. NOTE: these values include a mixture of summer and fall chum salmon, once genetics are applied, they will effectively reduce the mainstem sonar estimated number of fall chum salmon in the river. The first-quarter point for fall chum salmon based on median run timing occurs on August 6.

The coho salmon run is just beginning, the cumulative passage as of August 4 is approximately 6,400 fish, which is above the median passage of 2,000 fish for this date. The first-quarter point based on median run timing occurs August 17 for coho salmon at this project.

Teedriinjik (Chandalar) Sonar / USFWS

This sonar project typically begins August 8 to count fall chum salmon.

Sheenjek River Sonar / ADF&G

This sonar project typically begins August 8 to count fall chum salmon.

Eagle Sonar / ADF&G and Department of Fisheries and Oceans (DFO)

This project will transition from counting Chinook to fall chum salmon in August.

Porcupine River Sonar / Yukon Territory Canada / DFO

This project will transition from counting Chinook to fall chum salmon in August.

Fishing Branch River Weir/Sonar / Yukon Territory Canada / DFO

This project will begin counting fall chum salmon sometime in late August or early September.

Fall Age, Sex, and Length Composition

The age composition of 79 chum salmon sampled from the drift gillnets in the LYTF project from July 16–31, consisted of 69% age-4 and 31% age-5 fish, which compared to the 2001–2024 historical averages of 53% age-4 and 40% age-5. The percentage of female chum salmon from July 16–August 3 was 47% which is below the 2001–2024 historical average of 53%. The average length of 572 mm is below the 2001–2024 historical average of 582 mm through August 2.

Stock Identification

The fourth stratum of chum salmon genetic samples, collected from July 19-30, are expected to be analyzed this week or early next week. Look for the results in future ADF&G Yukon River daily update for those who subscribe: <https://list.state.ak.us/mailman/listinfo/yukonriverdailyupdate>

Summer Season Assessment

The Chinook and summer chum salmon runs are complete in the lower river and management has transitioned to fall season. Assuming late run timing, the third quarter point of the Chinook salmon run passed Eagle Sonar on August 3. The cumulative passage of Chinook salmon at Eagle sonar is below average, but larger than what was observed in 2022 through 2024 on this date. Current projections indicate that the border passage goal of 71,000 will not be met. Passage of Chinook salmon at all U.S. assessment projects are well below average and escapement goals are unlikely to be met.

Summer Assessment ProjectsChena Tower/sonar (ADF&G)

Visual counts from the Chena Tower began on June 30. Counts have been a mix of visual and sonar. Chinook salmon passage is estimated to be 1,042 fish, which is below the historical cumulative average of 5,001 fish. Summer chum salmon cumulative passage is estimated to be 1,093 fish which is below the historical cumulative average of 5,910 fish.

Salcha Tower (ADF&G)

Visual counts began on July 3 after delays due to forest fires. Chinook salmon passage is estimated to be 1,641 fish, which is below the historical cumulative average of 7,174 fish. Summer chum salmon cumulative passage is estimated to be 1,904 fish which is below the historical cumulative average of 12,588 fish. No counts were possible July 31 and August 1 because of high water, total passage should be considered a minimum estimate.

Eagle Sonar (ADF&G)

The Sonar project was fully operational as of July 1. Chinook salmon passage is estimated to be 20,436 fish which is below the historical cumulative average of 42,978 fish.




Figure 1. Cumulative passage of Chinook salmon at the Eagle sonar compared to late and/or weak years, 2025.

General subsistence gear reminders

Gear types for nonsalmon species include: hook and line with a rod or pole, dip net, beach seine, hand line, longline, and fyke net. Pink and sockeye salmon may be retained. **Chinook and chum salmon must be released alive. At the start of the fall season in each district, fall chum and coho salmon must also be released alive.**

Gillnets must be marked with a buoy or float that has the fisherman's first initial, last name, and address. Fish wheels must have first initial, last name, and address legibly inscribed on the side of the wheel facing midchannel. In Districts 3-6, submerged gillnets may be used for subsistence fishing during ice-free months, however submerged nets must have a visible buoy or floats attached to both ends of the net.

Current Subsistence Management Actions

Coastal District, Districts 1, 2, 3, 4-A Lower, 4-A Upper, and the Innoko and Koyukuk rivers (from the Naskonat Peninsula north to Point Romanof, including the Black River, and upstream to the tip of Cone Point and the Koyukuk River, including the communities of Chevak, Hooper Bay, Scammon Bay, Nunam Iqua, Alakanuk, Kotlik, Emmonak, Mountain Village, Pitkas Point, St. Mary's, Pilot Station, Marshall, Russian Mission, Holy Cross, Shageluk, Grayling, Anvik, Kaltag, Nulato, Koyukuk, Huslia, Hughes, Alatna, Allakaket, Bettles, Wiseman, and Coldfoot):

Subsistence fishing for chum, coho, and Chinook salmon is closed. Fishing for nonsalmon remains open 24 hours a day, seven days per week with nonlethal or selective gear types including hook and line with a rod or pole, dip net, beach seine, hand line, longline, and fyke net. Pink and sockeye salmon may be retained. Chinook, chum, and coho salmon must be released alive.

Gillnets of 4-inch or smaller mesh and manned fish wheels may be used to target nonsalmon from **12:00 p.m. noon Thursdays, through 12:00 p.m. noon Sundays, until further notice.** Nets are restricted to 60-feet or less in length and must be operated as a set net near shore.

A subsistence fishing permit is required for all species in the Koyukuk River above Bettles including the communities of Wiseman and Coldfoot. Gillnets in the permit area will not reopen until August 20.

Subdistricts 4-B, 4-C, 5-A, 5-B, and 5-C (including the communities of Galena, Ruby, Tanana, and Rampart):

Subsistence fishing for chum, coho, and Chinook salmon is closed. Fishing for nonsalmon is open with nonlethal or selective gear types including hook and line with a rod or pole, dip net, beach seine, hand line, longline, and fyke net. Pink and sockeye salmon may be retained. Chinook, chum, and coho salmon must be released alive.

Effective 12:00 p.m. noon Thursday, August 7 fishing with 4-inch or smaller mesh gillnets and manned fish wheels will reopen on a weekly fishing schedule from:

12:00 p.m. noon Thursdays until 12:00 p.m. noon Sundays, until further notice.

Fishing for nonsalmon remains open 24 hours a day, seven days per week with nonlethal or selective gear types including hook and line with a rod or pole, dip net, beach seine, hand line, longline, and fyke net. Pink and sockeye salmon may be retained. Chinook, chum, and coho salmon must be released alive.

A subsistence permit is required to fish for all species in portions of Subdistricts 5-C and 5-D from the westernmost tip of Garnet Island upstream to the mouth of Dall River (Dalton Highway bridge area).

Subdistricts 5-D Lower and 5-D Middle (from an ADF&G regulatory marker two miles downstream of Waldron Creek upstream to 22 Mile Slough, including the Porcupine River, all other adjacent tributaries, and the communities of Stevens Village, Beaver, Venetie, Chalkyitsik, Birch Creek and Fort Yukon):

Currently, subsistence fishing for Chinook and chum salmon is closed and fish wheels may not be operated. Gillnets of 4-inch or smaller mesh may be used 24 hours a day, seven days per week until further notice to target nonsalmon and are restricted to 60-feet or less in length and must be operated as a set net near shore.

Fishing with 4-inch or smaller mesh gillnets will close at 12:00 p.m. noon, Sunday August 10.

Effective 12:00 p.m. noon Thursday, August 14 fishing with 4-inch or smaller mesh gillnets and manned fish wheels will reopen on a weekly fishing schedule from:

12:00 p.m. noon Thursdays until 12:00 p.m. noon Sundays, until further notice.

Fishing for nonsalmon remains open 24 hours a day, seven days per week with nonlethal or selective gear types including hook and line with a rod or pole, dip net, beach seine, hand line, longline, and fyke net. Chinook and chum salmon must be released alive. During the fall season, starting at 12:01 am Wednesday, August 6, fall chum and coho salmon must also be released alive.

A subsistence permit is required to fish for all species in the portion of Subdistrict 5-D Lower from an ADF&G regulatory marker two miles downstream of Waldron Creek upstream to the mouth of Dall River.

In Birch Creek and the subsistence area of Beaver Creek below Moose Creek, gillnet mesh size may not exceed 4 inches.

Subdistrict 5-D Upper (from 22 Mile Slough to the U.S./Canada border, including all adjacent tributaries and the communities of Circle and Eagle):

Currently, subsistence fishing for Chinook and chum salmon is closed and fish wheels may not be operated. Gillnets of 4-inch or smaller mesh may be used 24 hours a day, seven days per week until further notice to target nonsalmon and are restricted to 60-feet or less in length and must be operated as a set net near shore.

Fishing with 4-inch or smaller mesh gillnets will close at 12:00 p.m. noon, Sunday August 17.

Effective 12:00 p.m. noon Thursday, August 21 fishing with 4-inch or smaller mesh gillnets and manned fish wheels will reopen on a weekly fishing schedule from:

12:00 p.m. noon Thursdays until 12:00 p.m. noon Sundays, until further notice.

Fishing for nonsalmon remains open 24 hours a day, seven days per week with nonlethal or selective gear types including hook and line with a rod or pole, dip net, beach seine, hand line, longline, and fyke net. Chinook and chum salmon must be released alive. During the fall season, starting at 12:01 am Wednesday, August 13, fall chum and coho salmon must also be released alive.

A subsistence permit is required to fish for all species from the upstream mouth of 22 Mile Slough to the U.S./Canada border.

Subdistricts 6-A, 6-B, Old Minto Area and the Kantishna River (from the mouth of the Tanana River upstream to the Wood River, including the Kantishna River drainage, Lake Minchumina, Manley, Minto, and Nenana):

Currently, subsistence fishing for Chinook and chum salmon is closed and fish wheels may not be operated. Gillnets of 4-inch or smaller mesh may be used 24 hours a day, seven days per week until further notice to target nonsalmon and are restricted to 60-feet or less in length and must be operated as a set net near shore.

Fishing with 4-inch or smaller mesh gillnets will close at 12:00 p.m. noon, Sunday August 10.

Effective 12:00 p.m. noon Thursday, August 14 fishing with 4-inch or smaller mesh gillnets and manned fish wheels will reopen on a weekly fishing schedule from:

12:00 p.m. noon Thursdays until 12:00 p.m. noon Sundays, until further notice.

Fishing for nonsalmon remains open 24 hours a day, seven days per week with nonlethal or selective gear types including dip net, beach seine, hand line, longline, and fyke net. Chinook and chum salmon must be released alive. During the fall season, starting at 12:01 am Wednesday, August 6, fall chum and coho salmon must also be released alive.

In Lake Minchumina and the Tolovana River drainage, including Minto Flats subsistence fishing with 6-inch or smaller mesh gillnets for nonsalmon species remains open 24 hours a day, seven days per week. Note, a subsistence pike permit is required, see details below.

Upper Tanana Area (the Tanana River from the confluence with the mouth of Volkmar River on the north bank and the mouth of the Johnson River on the south bank upstream to the Tanana River headwaters, including Delta Junction area, Dot Lake, Tanacross, Tetlin, Tok, Northway, and Nabesna):

Currently, subsistence fishing for Chinook and chum salmon is closed. Gillnets of 4-inch or smaller mesh may be used 24 hours a day, seven days per week until further notice to target nonsalmon and are restricted to 60-feet or less in length and must be operated as a set net near shore.

Fishing for nonsalmon remains open 24 hours a day, seven days per week with nonlethal or selective gear types including dip net, beach seine, hand line, longline, and fyke net. Chinook and chum salmon must be released alive. During the fall season, starting at 12:01 am Wednesday, August 6, fall chum and coho salmon must also be released alive.

Fishermen are reminded that a subsistence permit is required to fish for salmon in the Tanana River drainage up to the Wood River (Subdistrict 6-A, 6-B, and Kantishna River drainage), northern pike in the Tolovana River drainage (including Minto Flats), and all species in the Upper Tanana Area. A subsistence salmon permit is not required in Lake Minchumina. Subsistence fishing permits are available from the Alaska Department of Fish and Game Fairbanks office 907-459-7274 or online at www.adfg.alaska.gov/store/.

Personal Use Management Actions

Personal Use salmon fishing in Subdistrict 6-C is closed, and periods are cancelled until further notice.

Personal Use Whitefish and Sucker Fishing

Fairbanks Nonsubsistence Area (a portion of the Tanana River drainage from the Wood River upstream to the mouth of the Volkmar River on the north bank and the mouth of the Johnson River on the south bank, which includes Fairbanks, North Pole, Salcha, and Delta Junction):

Personal Use whitefish and sucker fishing with gillnets and fish wheels follows the Subdistrict 6-C Personal Use salmon fishing schedule and is closed until further notice. Fishing with other gear for whitefish and suckers in this area remains open 7 days per week, 24 hours per day, subject to permit stipulations.

A reminder to personal use fishermen that a personal use salmon permit is required to fish for salmon in Subdistrict 6-C and a personal use whitefish and sucker permit is required to fish for these species in the Fairbanks Nonsubsistence Area. Both permits require a valid sport fishing license.

Subsistence harvest calendars and subsistence and personal use fishing permits are available from the Alaska Department of Fish and Game Fairbanks office 907-459-7274 or online at www.adfg.alaska.gov/store/.

Federal Special Action

The Alaska Department of Fish and Game (ADF&G) and the U.S. Fish and Wildlife Service (USFWS) have coordinated on this advisory announcement. The USFWS Federal Inseason Manager has issued separate Fishery special actions with the same fishing restrictions and schedule in waters adjacent to Federal Land. To reach the USFWS Yukon River Subsistence Fishery Manager, call Holly Carroll at 907-351-3029.



This is an announcement by the ADF&G and the USFWS. Federal Special Actions will be posted on www.doi.gov/subsistence/fisheries-special-actions.

ADF&G Advisory Announcements will be posted on www.cfnews.adfg.alaska.gov/ and shared on Facebook at www.facebook.com/YukonRiverFishingADFG.

